

ARIHANT®
WATER PARK EQUIPMENT

WATERPLAY SOLUTIONS

AROUND THE WORLD IN 3 DECADES

Engaged in manufacturing and supply of water park equipment, Arihant has evolved into a one stop solution for providing comprehensive quality services. Having a vast experience of 4 decades, we have transformed ourselves into a market leader and hold a prime position in the industry. Owing to our innovative products, meticulous planning, and designing as per international standards with commitment to quality, safety and attention to detail.



1 *Some products are not available for sale in USA and countries where they are patented.


TUV NORD
CERTIFIED.
ISO 9001:2015
CERTIFIED
ARIHANT
WATER PARK EQUIPMENT
Asia
INDIA
2,50,000
SQ.FT
PRODUCTION
FACILITY
Africa
Africa
Australia
ARIHANT
WATER PARK EQUIPMENT

INFRASTRUCTURE & TECHNOLOGY

At Arihant, our expansive manufacturing facility and substantial annual FRP capacity enables us to deliver the highest quality in terms of products and services. We invest in equipment, machinery, designs and strategies that let us craft future-ready parks.

Having successfully completed over 850 projects across 63 countries over the last 4 decades, our dedicated team of employees across India takes immense pride in contributing to an organization that is devoted to creating happy moments.


TÜV NORD

CERTIFICATE

Management system as per
ISO 9001 : 2015

ARIHANT INDUSTRIAL CORPORATION LIMITED
Arihant Complex, NH 8, Opp. Sagar Petrol Pump,
Sativali, Vasai (E), Dist. Palghar - 401 208,
Maharashtra,
India
and other locations as per Annexure

Design and Development, Manufacture, Marketing, Sales and Supply of Play Ground, Garden Decor and Outdoor Fitness Products, Waterpark Equipment and Provision of Service Operations of Water Park Facilities for Leisure and Entertainment Purposes

SAFETY
We are ISO 9001:2015 certified and all our process are marked for safety of the final output. We follow design simulation to give you safer slides than compared to competition.

DURABILITY
Our raw materials are sourced from globally established and well-known brands. We follow complex and durable procedures which increase the life of the slides. For instance, we follow dip paint system whereas many companies still follow hand paint method.

APS®
STANDARDS FOLLOWED

VALUE
Our slides perform efficiently for longer period and require very less maintenance

Hence when you compare costs, you will get a better ROI over the years with our slides

QUALITY
Our processes follow blind manufacturing i.e. every order is processed on a unique numbering system which enables us to deliver standard quality across all orders & customers and maintain consistency in quality. Post production all our products go through 3 stringent (2 internal & 1 external) quality checks.

*APS: Arihant Production System is a specially developed process for all Arihant products

 *Some products are not available for sale in USA and countries where they are patented.



RTM

Arihant also takes pride in being one of the few global suppliers in the world to provide RTM technology for water slides. The advantages of this technology can be seen as below:

- Accurate Finish And Superior Product Quality
- Perfect Tightness And Durable
- Longer Life Of The Slide
- Efficient Structure Of The Slide
- Environment Friendly Technology
- Stronger And Lighter Waterslides
- Easy Maintenance

ARIHANT®
WATER PARK EQUIPMENT

PLAY STRUCTURES - THE 'MUST HAVE' FOR EVERY FACILITY

Water Play structures are the quintessential part of any waterpark, resorts or a campground! Be it the hours of non-stop water play, the high level of interactivity or the fact that it can enjoyed by the whole family all day long.

When it comes to choosing which facility to visit, the kids in the family wear the decision markers. That's why having this kind of fascinating from of family based attraction becomes so essential for any park.

1 Family Engagement

Water paly structures are complex towers with lots of interactive elements and slides that keep kids and adults engaged for long hours. These structures have something for all!

2 Large Capacity

Given the multiple level structure, a play structure can entertain anywhere between 30-300 guests at any given time. Looks like perfect solution for optimum space utilisation for your park

3 Avoid Queues

While other rides have long queues and wait time, Water play structures are open platforms where no time is wasted in queues

4 Themes

The adaptability to any theme makes the water play structure even more appealing and preferred choice. Themes give a face to the park and is adds the bling to the fun

 *Some products are not available for sale in USA and countries where they are patented.



ARIHANT®
WATER PARK EQUIPMENT



 *Some products are not available for sale in USA and countries where they are patented.



UNBOXING A WATERPLAY STRUCTURE

ARIHANT
WATER PARK EQUIPMENT

WHY CHOOSE ARIHANT'S WATERPLAY STRUCTURES?

Whether you're looking for an accessible splash pad for kids, a medium sized play structure or a huge water play castle with thrill elements; we have a solution that can meet your needs . Our core lies in customization and it means that we have options to suit every demographic, footprint , desired design and theme and capacity requirement.



 *Some products are not available for sale in USA and countries where they are patented.


BEWARE OF
FALLING COCONUTS
DREAMER'S
SPLASH ISLAND
BEACH
ARIHANT
WATER PARK EQUIPMENT

THEMES & CHARACTERIZATION:

THE CROWN OF EVERY WATERPLAY STRUCTURE

Themes have been known to transport guests into an imaginative world of story and fun. It gives your guests a story to remember and differentiates your facility form others. Emperical evidence suggests that there is an aura around themes that no park visitor can ignore. Themes are getting more immersive and animated. Our core USP lies in crafting client's vision into visually exciting themes with immersive storyboards. Our work humbly stands as a testimony to this.



GOKART THEME

 *Some products are not available for sale in USA and countries where they are patented.





HEAVEN THEME



JUNGLE THEME

ARIHANT
WATER PARK EQUIPMENT

COLOUR SHADE CARD

SUPPORT STRUCTURE COLOR



WAPS SUPPORT



FOR HDPE RAILING



 *Some products are not available for sale in USA and countries where they are patented.

FRP COLOURS

Jet black **Ral 9005**	Sky Blue **Ral 5015**	Yellow gray **Ral 7034**	Deep Orange **Ral 2011**	Antique pink **Ral 3014**	Blue Lilac **Ral 4005**
Distant blue **Ral 5023**	Signal Green **Ral 6032**	Vermilion **Ral 2002**	Light Green **Ral 6027**	May Green **Ral 6017**	Beige **Ral 1001**
Orange Brown **Ral 8023**	Traffic blue **Ral 5017**	Pastel Green **Ral 6019**	Cream **Ral 9001**	Grass Green **Ral 6010**	Yellow Green **Ral 6018**
Signal White **Ral 9003**	Strawberry Red **Ral 3018**	Light Blue **Ral 5012**	Tomato red **Ral 3013**	Melon Yellow **Ral 1028**	Telemagenta **Ral 4010**
Salmon Orange **Ral 2012**	Zinc Yellow **Ral 1018**	Sulfur Yellow **Ral 1016**			


Leopard


Honeycomb


Wood Panel


Leaf


Autumn


Banana leaf

IMPRESSIONS

Arihant 's latest offering is literally a piece of art!

Our latest technology embeds stylish textures in the waterslide elements turning them into instant attraction. The process of merging the textures with the slides in the production phase allows the slides to have superior finish both internal and external. Transform a simple fiber slide in to a landmark!

ARIHANT®
WATER PARK EQUIPMENT



 *Some products are not available for sale in USA and countries where they are patented.

PICKING THE RIGHT PLAY STRUCTURE FOR YOUR FACILITY

Choose among our 3 categories to suit your needs.

	SPLASH HOUSE	SOAKY ISLAND	THRILL CASTLE
	Fun and Cheerful	Delightful and Captivating	Immersive and Exciting
Ideal for	Toddlers and young kids	Kids , Teens young adults and families	Kids , Teens, young adults & Families
Active Entertainment Capacity	Upto 75 ppl / hr	75-200 ppl/hr	201-350 ppl/hr
Suited for	Campgrounds, Leisure Centres, Hotels and Resorts	Campgrounds, Hotel and Resorts, Waterparks	Waterparks

ARIHANT®
WATER PARK EQUIPMENT







SPLASH HOUSE

Splash House is an active and colorful water play structure that is an interactive water house. Ideal for hotels, resorts with less than 900 sq. meter area for the structure, they are loaded with spray elements for that extra fun for the young guests. The Splash Island can be customized as per area with various features and innovative themes to choose from

ARIHANT®
WATER PARK EQUIPMENT





PARK STORY

Hotel PrideInn, Kenya

Design Approach

One of Kenya's most famous chain of hotels, the Pride Inn group wanted to add a water feature to one of thie location in order to make guests stay longer. Understanding how a play structure not just lets guests stay longer at the facility, but also makes them choose a facility over other Hotels without the water attraction in the first place.

Theme Approach

The team at Arihant took inspiration from the great African Safari and designed a unique Jungle themed play structure to resonate with te overall aura of the region. the theme included the great beast of Masai Mara with slides themed with one horned Rhino, Lion and Giraffe to name a few. The theme also accompanies a customised mount Kenya slide!

 *Some products are not available for sale in USA and countries where they are patented.





Splash Lagoon Waterpark, USA

Design Approach

This Indoor Water Park had only a kids pool to entertain the little guests. But the lack of interactivity was causing the kids to get bored soon. Arihant associated with Splash Lagoon to incorporate a compact structure with kids sldie along with sprinklers and a huger coconut shaped tilting bucket further enhancing the fun for the Kids and bringing the pool to life

Theme Approach

The structure was themed in Carribbean style in the existing pool with customised and compact slide

ARIHANT®
WATER PARK EQUIPMENT

B2

NO. OF WATER SLIDES: 2 Nos.

SLIDE TYPE:

1. Kiddies ML (2 LANE): 4 ft height

2. 37" Closed Body: 4 ft height

FEATURE LIST:

1. Waterfall

2. Sprinkler

3. Tilting Cone

4. Tilting Bucket:-300 Litre

5. C-frame With Jet

TECHNICAL SPECIFICATIONS:

Structure area	12m x 12m
Minimum Pool area	18m x 18m
Minimum structure elevation	6.550 m
Maximum slide elevation	1.220 m
Required water flow	2100 LPM @ 10 m Head



 *Some products are not available for sale in USA and countries where they are patented.

C3

NO. OF WATER SLIDES: 3 Nos.

SLIDE TYPE:

1. 37" Open Body-6 ft height

2. 37" Closed Body-6 ft height

3. Kiddies ML (2 LANE)-4 ft height

FEATURE LIST:

1. Waterfall

2. Sprinkler

3. Tilting Cone: 02 Nos.

4. Rotating Wheel

5. Spinning Tray

6. Dia 4' Mushroom Umbrella

6. C-frame With Down Slotted: 02 Nos.

7. C-frame With Jet

TECHNICAL SPECIFICATIONS:

Structure area	15.5m X 13m
Minimum Pool area	21.5m X 19m
Minimum structure elevation	4.800 m
Maximum slide elevation	1.830 m.
Required water flow	3800 LPM @ 8 m Head



ARIHANT®
WATER PARK EQUIPMENT

C7

NO. OF WATER SLIDES: 4 Nos.

SLIDE TYPE:

1. 37" Open Body: 12 ft Height
2. 37" Closed Body: 16 ft height
3. 37" Closed Body: 8 ft height
4. Kiddies ML (2 LANE): 4 ft height

FEATURE LIST:

1. Water Curtain
2. Sprinkler
3. Waterfall
4. Tilting Cone
5. Rotating Wheel
6. Inverted Fountain
7. Sprinkler Railing
8. C-frame With Down Slotted: 02 Nos.
9. C-frame With Jet
10. Tilting Bucket: 800 Litre

TECHNICAL SPECIFICATIONS:

Structure area	17m X 14m
Minimum Pool area	23m X 20m
Minimum structure elevation	9.440 m
Maximum slide elevation	2.440 m.
Required water flow	6000 LPM @ 12 m Head



 *Some products are not available for sale in USA and countries where they are patented.

D11

NO. OF WATER SLIDES: 4 Nos.

SLIDE TYPE:

1. 37" Open Body: 8 ft Height
2. 37" Closed Body: 8 ft height
3. 37" CC Freefall: 4 ft height
4. Kiddies ML (2 LANE): 4 ft height

FEATURE LIST:

1. Peacock Jet
2. Sprinkler
3. Waterfall: 02 Nos.
4. Tilting Cone
5. Rotating Wheel: 2 Nos.
6. Inverted Fountain
7. Spinning Tray
8. C-frame With Down Slotted: 02 Nos.
9. Tilting Bucket: 800 Litre

TECHNICAL SPECIFICATIONS:

Structure area	17m X 14m
Minimum Pool area	23m X 20m
Minimum structure elevation	9.440 m
Maximum slide elevation	2.440 m.
Required water flow	6000 LPM @ 12 m Head



ARIHANT
WATER PARK EQUIPMENT

SPLASH VOYAGER

NO. OF WATER SLIDES: 3 Nos.

SLIDE TYPE:

1. Kiddies ML (2 LANE): 8 ft height

2. 37" Closed Body: 8 ft height

3. 37" CC Freefall: 8 ft height

FEATURE LIST:

1. Water Gun Railing-02 Nos.

2. Rotating Wheel-01 No.

TECHNICAL SPECIFICATIONS:

Structure area	18m X 24m
Minimum Pool area	24m X 30m
Minimum structure elevation	9.000 m
Maximum slide elevation	2.440 m.
Required water flow	6000 LPM @ 12 m Head

 *Some products are not available for sale in USA and countries where they are patented.


ARIHANT
WATER PARK EQUIPMENT



 *Some products are not available for sale in USA and countries where they are patented.





SOAKY ISLAND

The favorite amongst all - Soaky Island is a range of captivating water play structure equipped with fun rides and features that engross your guests for hours. Water slides of varying thrill levels, and spray elements increase the entertainment level. Ideal for campgrounds, resorts and small to medium waterparks

ARIHANT®
WATER PARK EQUIPMENT

PARK STORY





Heaven Waterpark, India

Design Approach

A new waterpark in India was looking to create a theme that resonated with its park name – ''Heaven Resort and Water Park''. The brief from the client said was To create a set and feel of heaven on earth'.

Theme Approach

The designers at Arihant took up this challenge towork towards creating a zone which captured this serene feel. the outcome was a visual spectacle of heaven in a water play structure few have seen before. This award winning structure captures the true essence of the brief and translates it into meaningful and interactive water features which engage guests for hours !

 *Some products are not available for sale in USA and countries where they are patented.

Adventure Landing, USA



Design Approach

The key challenge with this play structure was its COMPACT SPACE! There was an existing water slide that passed above and across the swimming pool. The water play structure design was required to fit in the pool without interrupting the existing structure and to ensure the new water play structure complied with ASTM standards. Arihant utilised advanced slide simulation techniques to design a custom themed water play structure to retrofit into the available space without the need for any adjustments to the existing slide, pool or structures passing above the space.

Theme Approach

A Theme and interactive features were designed and installed to enhance the appeal of the water play structure and to not interfere with the existing structures. The park chose a pirate theme for the water play structure, a popular and appropriate theme for the area and was installed with great success

ARIHANT®
WATER PARK EQUIPMENT

E2

NO. OF WATER SLIDES: 6 Nos.

SLIDE TYPE:

1. 37" Open Body: 14 ft Height
2. 37" Open Body: 14 ft Height
3. 37" Closed Body: 8 ft height
4. 54" Torpedo: 8 ft height
5. 37" CC Freefall: 4 ft height
6. Kiddies ML (2 LANE): 4 ft height

FEATURE LIST:

1. Watecurtain
2. Sprinkler: 02 Nos.
3. Waterfall: 02 Nos.
4. Tilting Cone.
5. Rotating Wheel.
6. C-frame With Jet: 02 Nos.
7. C-frame With Down Slotted: 03 Nos.
8. Tilting Bucket: 300 Litre



TECHNICAL SPECIFICATIONS:

Structure area	26m X 26m
Minimum Pool area	32m X 32m
Minimum structure elevation	9.7 m
Maximum slide elevation	4.270 m.
Required water flow	8000 LPM @ 12 m Head

 *Some products are not available for sale in USA and countries where they are patented.

E6

NO. OF WATER SLIDES: 5 Nos.

SLIDE TYPE:

1. 37" Open Closed Body:-12 ft Height
2. 37" Closed Body:-16 ft Height
3. 37" Closed Body:-14 ft height
4. 37" Closed Body:-18 ft height
5. Kiddies ML (2 LANE)-6 ft height

FEATURE LIST:

1. Watecurtain.
2. Sprinkler: 02 Nos.
3. Waterfall.
4. Tilting Cone: 02 Nos.
5. Rotating Wheel: 02 Nos.
6. Peacock Jet
7. C-frame With Jet
8. Tilting Bucket: 300 Litre



TECHNICAL SPECIFICATIONS:

Structure area	22m X 27m
Minimum Pool area	28m X 33m
Minimum structure elevation	8.917 m
Maximum slide elevation	5.490 m.
Required water flow	7500 LPM @ 12 m Head

ARIHANT®
WATER PARK EQUIPMENT

E7

NO. OF WATER SLIDES: 6 Nos.

SLIDE TYPE:

1. 37" Open Body: 12 ft Height
2. 37" Closed Body: 12 ft Height
3. 37" Closed Body: 20 ft height
4. 37" Open Body: 20 ft height
5. Kiddies ML (2 LANE): 4 ft height
6. 37" Open Body: 4 ft height

FEATURE LIST:

1. Watecurtain: 02 Nos.
2. Sprinkler: 02 Nos.
3. Waterfall: 02 Nos.
4. Inv Fountain: 02 Nos.
5. Tilting Cone.
6. Rotating Wheel.
6. Peacock Jet
7. C-frame With Jet
8. C-frame With Flower Shower
9. Tilting Bucket: 800 Litre- 02 Nos.
10. Dia 4' Mushroom Umbrella: 02 Nos.

TECHNICAL SPECIFICATIONS:

Structure area	33m X 23m
Minimum Pool area	39m X 29m
Minimum structure elevation	9.000 m
Maximum slide elevation	6.100 m.
Required water flow	10000 LPM @ 12 m Head



 *Some products are not available for sale in USA and countries where they are patented.

E8

NO. OF WATER SLIDES: 8 Nos.

SLIDE TYPE:

1. Kiddies ML (2 LANE)-1.76 m height: 02 nos.
2. 37" Open Body: 2.30m Height
3. 37" Open Body: 6.76 m Height
4. 37" Open Body: 7.30m height
5. 37" Open Body: 6.62m height
6. 37" Closed Body: 6.62m height
7. 37" Open Body: 6.76 m height

FEATURE LIST:

1. Watecurtain: 02 Nos.
2. Sprinkler: 02 Nos.
3. Waterfall: 02 Nos.
4. Inv Fountain: 02 Nos.
5. Tilting Cone: 02
6. Rotating Wheel: 02
6. Peacock Jet
7. C-frame With Jet: 04
8. C-frame With Down Slot: 04
9. C-frame With Flower Shower: 04
10. Tilting Bucket:-800 Litre: 01 Nos.
11. Dia 4' Mushroom Umbrella: 02 Nos.

TECHNICAL SPECIFICATIONS:

Structure area	30m X 30m
Minimum Pool area	36m X 36m
Minimum structure elevation	10.650 m.
Maximum slide elevation	7.300 m.
Required water flow	11500 LPM @ 14 m Head



ARIHANT®
WATER PARK EQUIPMENT

F9

NO. OF WATER SLIDES: 6 Nos.

SLIDE TYPE:

1. Kiddies ML (2 LANE)-4 ft height
2. 96" Family Ride-4 ft height
3. 37" Open Body:-8FT height
4. 37" Open Body:-8FT height
5. 37" Closed Body:-16 FT height
6. 37" Closed Body:-16 FT height

FEATURE LIST:

1. Watecurtain
2. Sprinkler-02 Nos.
3. Waterfall-02 Nos.
4. Inverted Umbrella
5. Rotating Wheel-02
6. Spinning Tray
7. Tilting Cone
8. Gun Railing 03 Nos
9. Sprinkler Railing:-02 Nos
10. C-frame With Jet-02
11. C-frame With Down Slot-01
12. C-frame With Side Slotr-02
13. Tilting Bucket:-800 Litre- 01 Nos.
12. Dia 4' Mushroom Umbrella-01 Nos.

TECHNICAL SPECIFICATIONS:

Structure area	22m X 35m
Minimum Pool area	28m X 41m
Minimum structure elevation	8.000 m.
Maximum slide elevation	4.880 m.
Required water flow	10000 LPM @ 10 m Head



 *Some products are not available for sale in USA and countries where they are patented.

F6

NO. OF WATER SLIDES: 4 Nos.

SLIDE TYPE:

1. 37" Open Body:-12FT height
2. 37" Closed Body:-16 FT height
3. 37" Open Body:-12FT height
4. KIDDIES ML:-4ft Height

FEATURE LIST:

1. Watecurtain.
2. Sprinkler.
3. Waterfall.
4. Rotating Wheel.
5. Tilting Cone.
6. C-frame With Jet-05
7. Tilting Bucket: 800 Litre
8. Curtain Railing
9. Sprinkler Railing

TECHNICAL SPECIFICATIONS:

Structure area	20m X 21m
Minimum Pool area	26m X 27m
Minimum structure elevation	8.500 m.
Maximum slide elevation	4.880 m.
Required water flow	6500 LPM @ 12 m Head



ARIHANT
WATER PARK EQUIPMENT

G3

NO. OF WATER SLIDES: 7 Nos.

SLIDE TYPE:

1. 37" Open Body: 8FT height
2. 37" Closed Body: 16 FT height
3. 37" Closed Body: 16 FT height
4. 37" Open Body: 16FT height
5. 37" Closed Body: 16 FT height
6. 37" Open Body: 8FT height
7. KIDDIES ML: 4ft Height

FEATURE LIST:

1. Watecurtain: 03
2. Sprinkler: 03
3. Waterfall.
4. Rotating Wheel: 03 Nos
5. Tilting Cone: 04 Nos
6. Inv Fountain: 02
7. Shower: 02
8. C-frame With Jet: 02
9. C-frame Down Slot: 04
10. Tilting Bucket: 800 Litre

TECHNICAL SPECIFICATIONS:

Structure area	33m X 32m
Minimum Pool area	39m X 38m
Minimum structure elevation	10.400 m.
Maximum slide elevation	4.880 m.
Required water flow	11500 LPM @ 14 m Head



 *Some products are not available for sale in USA and countries where they are patented.

TREASURE SHIP

NO. OF WATER SLIDES: 7 Nos.

SLIDE TYPE:

1. 37" Closde Body: 5 ft height
2. 37" Closed Body: 5 ft height
3. 37" CC Freefall: 10 ft height
4. 96" Family Ride: 10 ft height
5. 37" Closed Body: 16 ft height
6. 37" Closed Body: 16 ft height
7. 37" Open Body: 16 ft height

FEATURE LIST:

1. Ship Wheel
2. Flag Small
3. Flag Big
4. Small Anchor With Chain
5. Cannon Window Frame With Flap
6. Barrel
7. Metal Loop Door Knockers
8. Sword And Sheild
9. Sword
10. Pirate Mask
12. Open Sail
13. Packed Sail
14. Anchor

TECHNICAL SPECIFICATIONS:

Structure area	44.5m X 30.6m
Minimum Pool area	50.5m X 36.6m
Minimum structure elevation	14.8 m.
Maximum slide elevation	4.4 m.
Required water flow	6500 LPM @ 8 m Head 4560 LPM @ 18 m Head



ARIHANT®
WATER PARK EQUIPMENT



 *Some products are not available for sale in USA and countries where they are patented.



THRILL CASTLE

Plenty of high thrill slides and elements make the Thrill Castle a sight to marvel at. The range of striking structures offers unlimited family fun and generates exciting charm by its visuals and host of activities. This structure can keep your guests engaged for hours. Ideal for medium to large waterparks

ARIHANT®
WATER PARK EQUIPMENT



 *Some products are not available for sale in USA and countries where they are patented.

PARK STORY

Aquapark Neptune, Bulgaria

Design Approach

When Arihant designed the largest park in Bulgaria - Aquapark Neptune, its inspiration came from the biggest tourist attractions in the region – the castle “In love with the Wind”. The Castle is the biggest tourist attraction in Bulgaria with more than 1 million tourists every year. The magic architecture of the Castle, beautiful park, swan's lake and art galleries are excellent place for numerous events and competitions.

Theme Approach

To compliment this architecture, Arihant took up the challenge to transform the humongous water play structure into a 'Knights themed Thrill Castle'! The entire structure adorned the elements of castles and knights that guests swooned over!





H4

NO. OF WATER SLIDES: 7 Nos.

SLIDE TYPE:

1. KIDDIES ML:-4FT Height:-02 Nos.
2. 37" Open Body:- 4 FT height
3. 37" Closed Body:-20 FT height
4. 37" Open Body:- 36 FT height
5. 37" Closed Body:-44 FT height
6. Body Bowl:-20FT Height

FEATURE LIST:

1. Watecurtain-02
2. Sprinkler-02
3. Waterfall-04
4. Rotating Wheel-03
5. Tilting Cone-01 Nos
6. Inv Fountain-02
7. Dia 4' Mushroom Umbrella:-06
8. Peacock Jet:01 No.
9. Sprinkler Railing
10. Gun Railing
11. C-frame With Jet-02
12. C-frame Down Slot-03
13. C-frame With Flower Shower-03
14. C-frame Side Slot-02
15. Tilting Bucket:-800 Litre-02



TECHNICAL SPECIFICATIONS:

Structure area	36m X 32m
Minimum Pool area	42m X 38m
Minimum structure elevation	17.100 m.
Maximum slide elevation	13.420 m.
Required water flow	12500 LPM @ 20 m Head



 *Some products are not available for sale in USA and countries where they are patented.

i1

NO. OF WATER SLIDES: 8 Nos.

SLIDE TYPE:

1. Kiddies ML (2 LANE)-1.76 m height.
2. Kiddies ML (2 LANE)-6.670 m height.
2. 37" Open Body: 6.76m Height
3. 37" Open Body: 6.76 m Height
4. 37" Open Body: 2.30m height
5. 37"ClosedBody: 6.62m height
6. 37" Closed Body: 6.62m height
7. 37" Closed Body: 7.30 m height

FEATURE LIST:

1. Waterfall: 04
2. Sprinkler: 4
3. Peacock Jet: 4
4. Rotating Wheel: 03 Nos
5. Tilting Cone: 04 Nos
6. Inv Umbrella: 02
7. Spinning Tray: 1
8. Pulling Bucket: 4
9. Splash Bucket: 3 Pair
10. Tilting Bucket: 800 Litre-2 Nos.
11. Series Tilting Bucket: 2
12. Flower Shower: 2
13. Rocket Shower: 1
14. Dia 4' Mu: 1
15. Umbrella Jet: 1
16. C-frame Jet: 5
17. C-frame Down Slotted: 4
18. C-frame With Flower Shower



TECHNICAL SPECIFICATIONS:

Structure area	35m X 32m
Minimum Pool area	41m X 38m
Minimum structure elevation	11.80 m
Maximum slide elevation	7.30 m.
Required water flow	14000 LPM @ 14 m Head

ARIHANT®
WATER PARK EQUIPMENT

L2

NO. OF WATER SLIDES: 7 Nos.

SLIDE TYPE:

1. KIDDIES ML:-4ft Height
2. CC Freefall:-8ft Height
3. 37" Closed Body:-16 FT height
4. 37" Closed Body:-24 FT height
5. 37"Open Body:-20 FT height
6. 37" Closed Body:-28 FT height
7. Body Bowl:-28FT Height

FEATURE LIST:

1. Waterfall-02
2. Sprinkler-03
3. Peacock Jet-3
4. Rotating Wheel-04 Nos
5. Inv Umbrella-02
6. Spinning Tray-1
7. Inv Fountain-2
8. Water Curtain-4
9. Sprinkler Railing-3
10. Curtain Railing
11. Tilting Bucket-800 Litre-2 Nos.
12. C-frame Side Slotted



TECHNICAL SPECIFICATIONS:

Structure area	36m X 32m
Minimum Pool area	42m X 38m
Minimum structure elevation	12.600 m.
Maximum slide elevation	8.540 m.
Required water flow	13500 LPM @ 16 m Head



 *Some products are not available for sale in USA and countries where they are patented.

L3

NO. OF WATER SLIDES: 9 Nos.

SLIDE TYPE:

1. KIDDIES ML:-4FT Height:-02 Nos.
2. 37" Open Body:- 4 FT height :-02 Nos.
3. 37" Open Body:-20 FT height
4. 37" Closed Body:-20 FT height
5. 23" ML:-10FT Height
6. Body Bowl:-30FT Height
7. 37" Closed Body:-28 FT height

FEATURE LIST:

1. Watecurtain -02
2. Sprinkler -05
3. Waterfall -07
4. Rotating Wheel -04
5. Tilting Cone-03 nos
6. Inv Fountain-02
7. Dia 4' Mushroom umbrella:-03
8. Pulling Bucket:-01
9. Spinning Tray:-01
10. C-Frame with Jet-02
11. C-Frame Down Slot-06
12. C-Frame with Flower Shower-06
13. C-Frame Side Slot-05
14. Tilting Bucket:-800 Litre-02



TECHNICAL SPECIFICATIONS:

Structure area	38m X 35m
Minimum Pool area	44m X 41m
Minimum structure elevation	15.000 m.
Maximum slide elevation	9.150 m.
Required water flow	15000 LPM @ 18 m Head



ARIHANT
WATER PARK EQUIPMENT

DEEP SEA



 *Some products are not available for sale in USA and countries where they are patented.

THEMED SPLASHPAD

Re-imagining Splashpads and making them more soaky and more fun. We give you a themed pad where water showers continue to drench the visitors while they laugh, dance and enjoy! The product can be customized into your choice.

COWBOY HUT



TROPICAL RAINFOREST



CARIBBEAN FUN



ARIHANT
WATER PARK EQUIPMENT

PLUG N PLAY

A path-breaking concept to have multiple themes in one water play structures! Give your park a new look with the Plug N Play structures. Just replace the theme elements and with another and voila! You have a new character play structure all up for next season.



THE JUNGLE LAND

 *Some products are not available for sale in USA and countries where they are patented.



ARIHANT®
WATER PARK EQUIPMENT

EXCLUSIVE TOTS RANGE:

THE CHERRY ON WATERPLAY STRUCTURES















*Some products are not available for sale in USA and countries where they are patented




















ARIHANT
WATER PARK EQUIPMENT







ANIMAL SLIDES









 *Some products are not available for sale in USA and countries where they are patented



ARIHANT®
WATER PARK EQUIPMENT

ARIHANT
WATER PARK EQUIPMENT

Arihant Industrial Corporation Limited

501, 05th Floor, Ramdev Plaza, Near Namaskar Petrol Pump, Western Express Highway, Mira-Bhayandar (E.), Thane: 401107

Enquiry No: +91 8698 255559 / 9923 012737 | Email: infun@arihant.com | www.arihantwaterslides.com